



2780 Waterfront Parkway E Dr, Indianapolis, IN 46214.
 Phone: 317-328-5660 Sales: 1-800-437-3188 www.calumetspeciality.com

Product Data Sheet

If you have questions regarding this product, please contact your Sales Representative.
 Customer Service and Technical Service can be reached at 1-800-437-3188

Product : PENPURE 200

Revised Date :

Product Code : 300797125000

Test	UOM Description	Method Description	Min	Max	Typical
ACIDITY		USP	PASS		PASS
API GRAVITY @ 60°F		D4052	29.1	33.9	32.5
APPEARANCE		VISUAL			B/C
CARBONIZABLE SUBSTANCES		D565	PASS		PASS
COLOR, SAYBOLT		D156	30		30
FLASH POINT, COC	°C	D92	207		242
FLASH POINT, COC	°F	D92	405		468
INFRARED ABSORPTION		USP	PASS		PASS
LIMIT OF PAH		USP	PASS		PASS
LIMIT OF SULFUR COMPOUNDS		USP	PASS		PASS
POUR POINT	°C	D97		-7	-15
POUR POINT	°F	D97		20	5
SOLID PARAFFINS		USP	PASS		PASS
SPECIFIC GRAVITY @ 25/25°C		D4052	0.851	0.876	0.8578
THIS MATERIAL IS A USP MIN OIL					
UV ABSORB(FDA21 CFR172.878)		D2269	PASS		PASS
VISCOSITY @ 100°F	cSt	D445	43	48.61	45.93
VISCOSITY @ 100°F	SUS	D2161	200	225	214
VISCOSITY @ 40°C	cSt	D445	39	43.91	41.4
WATER CONTENT	ppm	D1533		35	17

Copyright 2012 Calumet Specialty Products Partners, L.P.

Calumet's sampling and testing procedures in effect at the time of production will be used for certification testing. Results may be based on tank certification, manufacturing data, periodic testing and/or most recent product restock. Results only represent the values one would expect if the product was tested in our laboratories with our test methods on the specified date. The typical values of product properties are not frequently measured and are not based on a statistically relevant number of tests. Calumet does not represent that the typical values contained on this data sheet represent the values in the product supplied to the user. The information in this document relates only to the named product. The user is solely responsible for determining the suitability of the product for its use intended by user, including use in any process and the combination of the product with any other material.